

How to study the organic molecules of comets?

There are four ways to study the organic molecules of comets. The oldest is to study spectrally, from Earth, the atmosphere and the tail of comets. Simple organic molecules have been identified for several decades. The second, chronologically speaking, was to bring back dust from a comet to Earth. This was done in 2006, and a speck of dust from comet Wild 2 revealed the presence of glycine, the simplest of amino acids [1]. The third method, the *in situ* study, was one of the goals of the *Rosetta* mission [2] and in particular of the robot *Philae* which should have landed on the comet *Churyumov-Gerasimenko* in November 2014. The landing was "half failed", and *Philae* could only analyze the most volatile of the organic molecules escaping from the ground, without having been able to analyze the soil itself. *Philae* has nevertheless identified sixteen carbonaceous molecules, some of which are precursors of amino acid synthesis. But during close overflights, particularly during the flight of 28 March 2015 less than 15 km from the surface of the comet's nucleus, or during the emission of violent puffs of gas and dust in July 2015 just before the transition to perihelion, the *Rosina* mass spectrometer of the *Rosetta* orbiter [2] formally identified glycine.

List of formally identified molecules and their respective proportions to best explain the data of the *Philae* lander COSAC instrument, an instrument that combines a gas chromatograph and a mass spectrometer. Adapted from Goesmann et al [3]

| Name | Formula | Molar mass |
|---------------------------------------|--|------------|
| Water | H ₂ O | 18 |
| Methane | CH ₄ | 16 |
| Methanenitrile (hydrogen cyanide) | HCN | 27 |
| Carbon monoxide | CO | 28 |
| Methylamine | CH ₃ NH ₂ | 31 |
| Ethanenitrile (acetonitrile) | CH ₃ CN | 41 |
| Isocyanic acid | HNCO | 43 |
| Ethanal (acetaldehyde) | CH ₃ CHO | 44 |
| Methanamide (formamide) | HCONH ₂ | 45 |
| Ethylamine | C ₂ H ₃ CHO | 45 |
| Isocyanatomethane (methyl isocyanate) | CH ₃ NCO | 57 |
| Propanone (acetone) | CH ₃ COCH ₃ | 58 |
| Propanal (propionaldehyde) | C ₂ H ₅ CHO | 58 |
| Ethanamide (acetamide) | CH ₃ CONH ₂ | 59 |
| 2-Hydroxyethanal (glycolaldehyde) | CH ₂ OHCHO | 60 |
| 1,2-Ethanediol (ethylene glycol) | CH ₂ (OH)CH ₂ (OH) | 62 |




Figure 1. Possible chemical pathways to form the molecules found on the comet Churyumov-Gerasimenko from the basic components of comets. The molecules whose names are in green were identified for the first time in a comet. In red are indicated those whose identification is still in question. Source: Image adapted from Goesmann et al. [3]

The last method consists in making an "artificial comet". How? It is necessary (1) to mix ice of water, methane, carbon monoxide, methanol..., (2) to put this mixture under the conditions of temperature and pressure of space, and (3) to irradiate it with UV and energetic particles in order to simulate the solar radiation and wind, cosmic rays. A result published in April 2016 is extremely interesting: an international team, but mainly French, has thus synthesized ribose and other related sugars [6]. This result is crucial, because if we knew in meteorites almost all the organic molecules (or their precursors) necessary for the origin of life, we had never found either ribose or ribose precursor. However, ribose seems essential to terrestrial life...

References and notes

[1] Elsila JE, Glavin DP & Dworkin JP (2009) Cometary glycine detected in samples returned by Stardust. *Meteoritics &*

[2] Rosetta carries a suite of eleven instruments aboard the [orbiter](#) and a [landing gear](#), Philae, equipped with ten additional instruments that will perform surface measurements.

[3] Goesmann F *et al* (2015) *Organic compounds on comet 67P/Churyumov-Gerasimenko revealed by COSAC mass spectrometry*. Science 349 (6247):aab0689. doi: 10.1126/science.aab0689

[4] Altwegg K *et al* (2016) Prebiotic chemicals-amino acid and phosphorus-in the coma of comet 67P/Churyumov-Gerasimenko. Science Advances 27 May 2016:
Vol. 2, no. 5, e1600285 DOI: 10.1126/sciadv.1600285

[5] Rosetta contains molecules from living organisms: [link](#)

[6] Meinert C *et al* (2016) *Ribose and related sugars from ultraviolet irradiation of interstellar ice analogs*. Science, April 8, 2016. DOI: 10.1126/science.aad8137

L'Encyclopédie de l'environnement est publiée par l'Université Grenoble Alpes.

Les articles de l'Encyclopédie de l'environnement sont mis à disposition selon les termes de la licence Creative Commons Attribution - Pas d'Utilisation Commerciale - Pas de Modification 4.0 International.
